Volume 6

2016/2017

FACILITIES & TRAFFIC SAFETY CATALOGUE

Safetyware

SAFETYWARE GROUP

Responsibility & Care

www.safetyware.com

Your Global One-Stop



Health & Safety Solution Provider

We have won 8 awards which serve as a recognition of our company's commitment towards continuous improvement

GOLDEN BULL AWARD 2010 金牛奖

SME 100 Award 2011 FAST MOVING COMPANIES™

SME RECOGNITION AWARDS 2011 2011 年中小型企业颁奖礼

The 2nd TOP TEAM 50 ENTERPRISE AWARDS MALAYSIA 2011

APEA 2012

Enterprise 50 2012 Celebrating Malaysia's Enterprising Spirit

GOLDEN BULL AWARD 2013 金牛奖

BUSINESS FINALIST BEST BRAND 2014

WHY SAFETYWARE

1 Quality Assurance

- Stringent Quality Control
- R&D Team – Continuous Improvement on Product Quality
- ISO 9001:2008 Certified Company
- Quality Products (Certified to CE, ANSI, AS/NZS, etc)
- More than 30 years of experience in Personal Protective Equipment Manufacturing

AS/NZS 1337.1:2010
ID No 557823

AS/NZS 1337.1:2010
Lic 2144

CE

2 Professional Service

- Inquiry Response within 24 hours
- Offers more than 3,000 types of safety products
- Experienced Safety Consultant to provide better technical support
- In-House competent person to provide safety training
- In-House Design Team

3 Competitive Pricing

- Own Manufacturing Plants in Malaysia
- Main Distributor for Sundstrom, Elvex, 3M, Honeywell, Scott, Lakeland, Brady, Weldas, Harvik
- Lowest Price Guaranteed

4 Reliable Delivery Performance

- Own delivery fleets with dedicated delivery team
- Affiliated with Top Courier Companies
- Delivery within 24 hours
- Advanced Warehouse Management System to ensure fast & efficient delivery

CORPORATE OVERVIEW

Safetyware Group is an integrated health & safety solutions provider which manufacture and distribute complete range of safety products & services. Our group consists of the following business divisions:

1 Manufacturing

a. Safety Shoes Division

- Factory located in Penang
- Production Capacity: 400,000 pairs /annum
- Equipped with advance European machineries which ensure production of consistently high quality products
- Exported to more than 20 countries throughout the world

b. Safety Apparel Division

- Factory located in Penang
- Production Capacity: 200,000 pcs /annum
- A wide array of Safety Apparels Customization Service
- Variety of material to choose from

c. Gloves Division

- Factory located in Penang
- Production Capacity: 30 million pairs /annum
- Export to more than 50 countries throughout the world

d. Other PPE Division

- Partnership with factories in USA, Malaysia, Taiwan & China
- Product Range: Safety Helmet, Safety Glasses, Masks, Ear Plugs/Muffs, spill control products, etc.

e. Visual Communication Division

- Factory located in Penang
- One-stop signage & label solution including Design, Manufacture & Install
- In-House Design Team
- CIDB G5 Contractor

2 Distribution & Trading

- Wide distribution network – United Kingdom, Singapore & Malaysia (Penang, Perak, Kuala Lumpur, Melaka, Johor and Pahang)
- Ministry of Finance approved Vendor

3 Training & Consultancy

- PSMB Approved Training Provider
- Provide full range of OSH services such as Chemical Health Risk Assessment (CHRA), Occupational Hygiene Monitoring, Local Exhaust Ventilation (LEV) Inspection, Noise Exposure Monitoring, Indoor Air Quality (IAQ) monitoring, etc.
- Specialise in Environment, Health and Safety Consultation and Training

When it comes to health and safety , rest assured that you can count on SAFETYWARE GROUP - a one-stop health and safety solutions provider that always seek to exceed your needs and expectations . What separates us from the pack is our total commitment to all of our valued customers . Backed by a team of highly trained personnel and with over 30 years of experiences in the field of occupational health and safety , we know that every customer is unique and has different needs and requirement . Thus we work closely and listen to our customers , strive to provide the best possible solution whenever and whatever they are needed . We are committed to providing the best products and services to our customers . If we only help you to choose the products you need , we've only completed half od our job . We offer a series of value added services including technical assistance and support in order to ensure that the products are used properly and appropriately . This will result in longer life span of the products , avoid unecessary injuries due to improper usage , better protect your end products from comtamination , and save your money at the end of the day . When better is possible , good is not enough . Lets us show you how you can better minimize your costs and maximize your benefits .

CONTENT

Company Profile — I - II

Content — III

Safety Storage & Containment Systems — 1 - 4

Spill Control Product — 5 - 8

Emergency Eyewash & Shower — 9 - 12

First Aid — 13

Lockout & Tagout — 14 - 23

Road Safety — 24 - 34

Pipe Identification — 35 - 42

Safety Railing — 43 - 47

Material Handling Equipment — 48

Index — IV

Glossary — V

SAFETYWARE Safety Cabinet for Flammable Liquid

Welded shelf hangers interlock with shelf to offer maximum "non slip" stability with no flimsy brackets to lose.

Special Safety Shelves safety direct incidental spills to back and bottom of leak proof sump. Adjustable on 76mm centers, they meet ANSI standard with a 159kgs safe allowable load.

Easy close, Self-latching doors.

Reflective labelling for high vicinity under fire condition "Flammable-Keep Fire Away" Trilingual warning label in English.

Rounded Safety Corners on doors reduce accidental nicks or cuts and potential hand injury.

Dual vents with built-in flame arresters strategically placed at bottom and opposite.

Handle includes double key set or can be padlocks for greater security. Double key set included for security. Padlock not included.

Durable and chemical resistant, leadfree powder coat paint finish, inside and out, retains high gloss look and minimizes the effects of corrosion and humidity.

Continuous piano hinge provides smooth closure. Built in grounding connector (on outside side panel) for easy grounding.

Fully welded, not rivated construction holds firmness for longer life, offering greater protection in a fire since air gaps are reduced.

Sturdy, 18 gauge (1mm) double wall steel with 1 1/2" (38mm) of insulating air space.

Adjustable leveling feet for balancing on uneven surfaces.

Keyed, three-point latch safety secures contents. Built-in earthing connector (on outside side panel) for easy earthing.

Safety Cabinets

SAFETYWARE Chemical Storage Safety Cabinets

SCB04

SCB12

SCB30

SCB45

SCB60

SCY04

SCY12

SCY30

SCY45

SCY60

Features

- Store flammable and corrosive liquids safely in a Safety Cabinet
- Made with double-wall and with 18-gauge steel construction
- Yellow safety cabinets for flammable chemincal, blue safety cabinets for acid or corrosive chemical
- Comes with two vents with flash arresters that allow hazardous vapors to be piped away if required
- Integral leak-proof well contains accidental spills
- High performance, manual-cross doors open to a full 180 degrees and close easily an securely for maximum protection under fire conditions when pushed shut
- Three point stainless steel bullet latching system makes it work safely everytime
- Available in 4,12, 30, 45 or 60-gallon capacities
- Meet OSHA 29 CFR 1910.106 regulations

Art. No.	Description	No. of Shelves	Dimension (H x W xD)	Unit
SCY04	SAFETYWARE 4 Gallons Yellow Safety Cabinet for Flammable Liquid	1	22" x 17" x 17"	unit
SCB04	SAFETYWARE 4 Gallons Blue Safety Cabinet for Acid/Corrosive Liquid	1	22" x 17" x 17"	unit
SCY12	SAFETYWARE 12 GallonsYellow Safety Cabinet for Flammable Liquid	1	35" x 23" x 18"	unit
SCB12	SAFETYWARE 12 Gallons Blue Safety Cabinet for Acid/Corrosive Liquid	1	35" x 23" x 18"	unit
SCY30	SAFETYWARE 30 GallonsYellow Safety Cabinet for Flammable Liquid	1	44" x 43" x 18"	unit
SCB30	SAFETYWARE 30 Gallons Blue Safety Cabinet for Acid/Corrosive Liquid	1	44" x 43" x 18"	unit
SCY45	SAFETYWARE 45 Gallons Yellow Safety Cabinet for Flammable Liquid	2	65" x 43" x 18"	unit
SCB45	SAFETYWARE 45 Gallons Blue Safety Cabinet for Acid/Corrosive Liquid	2	65" x 43" x 18"	unit
SCY60	SAFETYWARE 60 Gallons Yellow Safety Cabinet for Flammable Liquid	2	65" x 34" x 34"	unit
SCB60	SAFETYWARE 60 Gallons Blue Safety Cabinet for Acid/Corrosive Liquid	2	65" x 34" x 34"	unit

Safety Cans

JUSTRITE®

JUSTRITE Plunger Cans

- Allows cloths and swabs to be moistened in flammable cleaning liquids safely and efficiently
- Simply push down upper pan, pan fills with liquid, cloth can be moistened and surplus liquid drains safely back into reservoir
- Constructed of plated steel
- Features a brass Ryton™ pump assembly and a perforated metal dasher plate that functions as a flash arrester

10108 10308

Art. No.	Description	Unit
10108	1 Quart Steel Plunger Can	unit
10208	2 Quart Steel Plunger Can	unit
10308	1 Gallon Steel Plunger Can	unit

JUSTRITE Type II Safety Cans

- Designed with one opening for filling and a second opening for pouring, offer a safe method for accurate spill-free pouring into small openings
- The cans are constructed with plated steel and feature a free-flow flash arrester which prevents flashback ignition, and a automatic pressure-relief vent mechanism

7210120 7220120 7250130

Art. No.	Description	Unit
7210120	1 Gallon Type II Safety Can	unit
7220120	2 Gallons Type II Safety Can	unit
7225130	3 Gallons Type II Safety Can	unit
7250130	5 Gallons Type II Safety Can	unit

Safety Containment Equipments

JUSTRITE Gator® Spill Containment Caddy

- It is the ideal choice for managing either 30 or 55 gallons drums (110L & 200L); nylon strap holds drum securely in place
- Drum Management – Transport up to 1250lb. (567kgs) loads easily and safely, minimizing back strain and injuries
- Ergonomically designed for tipping, with back kickplate positioned to assure weight is not absorbed by the spinal column while using the outer handles for leverage
- Measures 32" (W) x 72" (D) x 27" (H)
- Meets EPA and SPCC compliance requirements

28665

Art. No.	Description	Dimension (W x D x H)	Unit
28665	JUSTRITE Gator Outdoor Spill Containment Caddy (Indoor/Outdoor Use)	32" x 72" x 27"	unit

Safety Containment Equipments

JUSTRITE Overpack Salvage Drums

- As secondary containment for the storage and transport of damaged or leaking drums of hazardous liquids
- The cost-efficient polyethylene drum has twist-down lid, large grip handles, and is stackable and nestable for easy storage
- The heavy-gauge steel Overpack is recommended for use with leaking drums of petroleum solvents
- Both salvage drums accept all steel drums up to 55 gallons. Drums are fork-liftable from three positions
- Both units meet UN and DOT regulations

28201

Art. No.	Description	Unit
28201	JUSTRITE 95 Gallon Polyethylene Overpack Salvage Drum	unit

JUSTRITE Red Oily Waste Can with Hand Operated Cover

- OSHA Compliant Oily Waste Cans are essential whenever solvent soaked cloths and wiping rags are used. Rags and cloths soaked with solvents, thinners, linseed oil, combustible adhesives and other flammable liquids present a serious fire risk when improperly discarded. The specially designed lid features an UL required opening of no more than 60 degrees and stays closed when not in use, isolating contents from fire sources and limiting oxygen so spontaneous combustion risk is virtually eliminated.
- Oily Waste Cans with SoundGard™ incorporate a specially designed, sound muffling pad inside the lid to significantly reduce closure noise approximately 200% quieter than standard oily waste cans. It is ideal in settings where it's desirable to lessen disruptive noise

09300

Art. No.	Description	Dimension (W x H)	Unit
09200	2 Gallons Countertop Oil Waste Can	9.63" x 9.13"	unit
09108	6 Gallons Oil Waste Can /w Foot Operated Cover	11.88" x 15.88"	unit
09110	6 Gallons Oil Waste Can /w Hand Operated Cover	11.88" x 15.88"	unit
09300	10 Gallons Oily Waste Can /w Foot Operated Cover	13.94" x 18.25"	unit

JUSTRITE EcoPolyBlend™ Spill Pallets

- Made of up to 100% recycled polyethylene; dirt hiding black color is 100% recycled, high visibility yellow is 35% recycled content
- Seamless, robust design eliminates leaks
- Sturdy, self-locating grates remove for easy cleaning
- Option Ramp for 4-drum square pallets clips securely onto pallet and offers convenience when loading and unloading heavy drum
- Oversized sumps comply to EPA, SPCC, NFPA 1, Int'l Fire Code

28635

Art. No.	Description	Color	Size (W x D x H)	Sump Cap	Load Bearing	Unit
Spill Control Pallets						
28623	EcoPolyBlend™ 2-Drum Spill Pallets	Black	49" x 25" x 18"	66 Gallons	1134 kgs	unit
28625	EcoPolyBlend™ 2-Drum Spill Pallets /w Drain	Black	49" x 25" x 18"	66 Gallons	1134 kgs	unit
28634	EcoPolyBlend™ 4-Drum Square Spill Pallet	Yellow	49" x 49" x 10.25'	73 Gallons	2268 kgs	unit
28636	EcoPolyBlend™ 4-Drum Square Spill Pallets /w Drain	Yellow	49" x 49" x 10.25"	73 Gallons	2268 kgs	unit
28637	EcoPolyBlend™ 4-Drum Square Gator Spill Control Pallets /w Drain	Black	49" x 49" x 10.25"	73 Gallons	2268 kgs	unit
Drum Collection Stations						
28635	JUSTRITE Gator Single-Drum Gator Collection Center Black	Black	33" (Top Outer Diameter) x 31.75" (H)	66 Gallons	-	unit

How Spill Kits Work

The technology which makes the absorbent material in spill kits soak up liquids is something we're all familiar with, even if we're not aware of it. Take a simple kitchen spill, for example. If we're at home, we'll probably react to it by reaching for some kitchen roll; at work we'll probably go for some of the blue paper roll that lives in every cleaners cupboard. The result is the same in every case; we're harnessing the power of organic chemistry. Color are to identify for those who not familiar with what are the spill is, with color differentiate so you aware what is the content is.

Chemical Spill Kits

Responding to chemical spills could hardly be faster or easier with our range of ever-ready, go-anywhere chemical spill kits. Filled with products to absorb just about any industry liquids, including aggressive chemicals, oil ,acids and solvents these chemical spill kits are in portable set or you may order individually - and highly visible because they're bright yellow!

Oil Spill Kits

Spilled oil isn't a problem with this range of white absorbent products.
They'll even absorb any kind of oil from water without soaking up the water, because they're hydrophobic .

Fluid : For Oils, Not Water

Application : Marine Spills Economical

Absorbency : ★★★★

Durability : ★★★

Hazardous Disposal Bag

SAFETYWARE Hazardous Disposal Bag

- Bright yellow bags
- These bag liners help keep biohazard containers clean
- The bag boldly labeled "Hazardous Material - Handle With Care"
- Dispose of your contaminated waste correctly and safely
- A must for any hospital, nursing home, lab, or chemical industry

HD2430/YLW

Art. No.	Description	Size	Thickness	Unit
HD2430/YLW	SAFETYWARE Hazardous Disposal Bag	24" x 30"	0.10mm	bag
HD4252/YLW	SAFETYWARE Hazardous Disposal Bag	42" x 52"	0.12mm	bag

SAFETYWARE Oil-Only and Chemical Sorbents

SAFETYWARE Yellow Chemical Sorbent Socks
Quickly absorb chemicals or any liquid and keep the original shape when completely saturated

SAFETYWARE Yellow Chemical Sorbent Pads
Quickly absorb chemicals and gives added strength

SAFETYWARE Yellow Chemical Sorbent Booms
Quickly absorb any acid, water based and hydrocarbon fluids

SAFETYWARE Yellow Chemical Sorbent Pillows
Absorb any aggressive fluids and non-aggressive fluids

SOR-OIL-PADS

SOR-OIL-ROLLS

SOR-HAZ-BOOMS

SOR-HAZ-SOCKS

SOR-HAZ-PILLOWS

Features

- Made with premium quality material which offers superior absorbency.
- Available in 2 ranges : Oil-Only Sorbents and Chemicals Sorbents.
- Specially designed to absorb oil and repel other fluids (Oil-Only Sorbents).
- Designed to absorb aggressive & non-aggresive chemicals & oil (Chemical Sorbents).
- Made with high quality fine natural fibers, point bonded together to offer optimum absorption.
- **Booms** are non-linting and made with sock-and-net construction to ensure that all particulate stays safely inside the boom.
- **Socks** are contain highest quality 100% polypropylene fill for optimum absorption.
- **Pillows** are used mostly to absorb leaks and drips that are too large for a pad.

	Art. No.	Description	Size	Absorbency PER CASE	Packing	Unit
Oil-Only Sorbents	SOR-OIL-PADS	SAFETYWARE White Oil-Only Sorbent Pads	40cm x 50cm	120 litres	100 pcs /case	case
	SOR-OIL-ROLLS	SAFETYWARE White Oil-Only Sorbent Rolls	80cm x 50m	240 litres	1 roll /case	case
	SOR-OIL-BOOMS	SAFETYWARE White Oil-Only Sorbent Booms	12.7cm x 3m	108 litres	4 booms /case	boom
	SOR-OIL-SOCKS	SAFETYWARE White Oil-Only Sorbent Socks	7.6cm x 1.2m	90 litres	15 pcs /case	pc
	SOR-OIL-PILLOWS	SAFETYWARE White Oil-Only Sorbent Pillows	40cm x 50cm	60 litres	10 pcs /case	pc
Chemical Sorbents	SOR-HAZ-PADS	SAFETYWARE Yellow Chemical Sorbent Pads	40cm x 50cm	120 litres	100 pcs /case	case
	SOR-HAZ-ROLLS	SAFETYWARE Yellow Chemical Sorbent Rolls	80cm x 50m	240 litres	1 roll /case	case
	SOR-HAZ-BOOMS	SAFETYWARE Yellow Chemical Sorbent Booms	12.7cm x 3m	108 litres	4 booms /case	boom
	SOR-HAZ-SOCKS	SAFETYWARE Yellow Chemical Sorbent Socks	7.6cm x 1.2m	90 litres	15 pcs /case	pc
	SOR-HAZ-PILLOWS	SAFETYWARE Yellow Chemical Sorbent Pillows	40cm x 50cm	60 litres	10 pcs /case	pc

SPILL KIT

SAFETYWARE Oil-Only & Chemical Spill Kit

A variety of spill kits are available for quick response to oil & chemical spills.

SOR-KIT-O20

SOR-KIT-O55

SOR-KIT-OTK

SOR-KIT-C20

SOR-KIT-C55

SOR-KIT-CTK

Art. No.	Description	Content (Per Kit)	
SOR-KIT-O05	SAFETYWARE Small Oil-Only Sorbent Spill Kit in a 5 Gallons Lab-Pack	[1] Pad (40cm x 50cm) [2] Sock (7.6cm x 1.2m) [3] Nitrile Gloves [4] Chemical Splash Goggle [5] N95 OV/AG Particulate Respirator	x 8 pcs x 3 pcs x 1 pair x 1 no x 1 pc
SOR-KIT-C05	SAFETYWARE Small Chemical Sorbent Spill Kit in a 5 Gallons Lab-Pack		
SOR-KIT-OTK	SAFETYWARE Oil-Only Sorbent Truck Kit in Vinyl Zipper Bag	[1] Pad (40cm x 50cm) [2] Sock (7.6cm x 1.2m) [3] Temporary Disposal Bag [4] Nitrile Gloves	x 20 pcs x 3 pcs x 1 pc x 1 pair
SOR-KIT-CTK	SAFETYWARE Chemical Sorbent Truck Kit in Vinyl Zipper Bag		
SOR-KIT-O20	SAFETYWARE Oil-Only 20 Gallons Overpack Salvage Drum Spill Kit	[1] Sock (7.6cm x 1.2m) [2] Pad (40cm x 50cm) [3] Pillow (40cm x 50cm) [4] Disposal Bag & Tie [5] Nitrile Gloves & Goggle [6] Emergency Response Guidebook (Soft Copy)	x 1 pcs x 15 pcs x 2 pcs x 5 pcs x 1 pair x 1 no
SOR-KIT-C20	SAFETYWARE Chemical Spill Kit 20 Gallons Overpack Salvage Drum		
SOR-KIT-O55	SAFETYWARE Oil-Only 55 Gallons Lever Lock X-Rated Drum Spill Kit	[1] Socks (7.6cm x 1.2m) [2] Pads (40cm x 50cm) [3] Pillow (40cm x 50cm) [4] Disposal Bag & Tie [5] Nitrile Gloves & Goggle [6] Emergency Response Guidebook (Soft Copy)	x 5 pcs x 50 pcs x 4 pcs x 5 pcs x 1 pair x 1 no
SOR-KIT-C55	SAFETYWARE Chemical 55 Gallons Lever Lock X-Rated Drum Spill Kit		
SOR-KIT-O95	SAFETYWARE Oil-Only 95 Gallons Overpack Salvage Drum Spill Kit	[1] Socks (7.6cm x 1.2m) [2] Pads (40cm x 50cm) [3] Pillow (40cm x 50cm) [4] Disposal Bag & Tie [5] Nitrile Gloves & Goggle [6] Emergency Response Guidebook (Soft Copy)	x 10 pcs x 75 pcs x 8 pcs x 10 pcs x 1 pair x 1 no
SOR-KIT-C95	SAFETYWARE Chemical 95 Gallons Overpack Salvage Drum Spill Kit		

Absorbent (Powder / Particulate Type)

Powder-Type Acid Absorbent / Particulate-Type Oil-Only Absorbent

- The **M6 Acid Absorbent** comes in the form of powder and can absorb acids and form a gel-like material for easier disposal
- The product is produced from non-hazardous substances under OSHA CPL regulations and is designed to neutralize most acids
- Comes in packing of 20kg per carboy
- **M2-Absorbent-5**. Granular, non flammable, inert material with high degree of Absorbency.
- Can be used for construction of emergency dike. Which is specially designed to absorbs oil-based liquids & repel water.
- Comes in packing of 5kg/ pack.

M6-Absorbent-20

Art. No.	Description	Unit
M6-Absorbent-20	M6 Acid Absorbent	carboy
M2-Absorbent-5	M2 Oil/Solvent Absorbent	pack

MERCURY SPILL KIT

SPILFYTER COMPLETE MERCURY SPILL KIT

- SPILFYTER Complete Mercury Spill Kit includes Amalgamation Powder, Indicator Powder and Vapor
- It Suppressor Powder Plus Accessories. Designed to handle all stages of cleaning up mercury spills
- To be used in three stage approach:
  1. Identify Presence of Mercury
  2. Suppress Vapors
  3. Convert Mercury into Amalgam.

520250

Art. No.	Description	Size	Unit
520250	SPILFYTER Complete Mercury Spill Kit	36cm X 35cm X 12cm	kit

3M Chemical Sorbents

3M Chemical Folded Sorbents

- Folded Sorbent is dispensed in the form of a 5 inch wide continuous roll, perforated every 16 inches
- Tearing at the perforations can customize the length needed, can be unfolded into pads or pillows
- 3M folded sorbents are 4 sorbents in one
- Able to be used as a boom, sheet, pad or pillow. This allows one product to be stocked for almost any chemical spill
- The high capacity sorbent has a scrim on one side to increase strength and help prevent linting
- Perforations every 40cm permit the required length of sorbent to be selected so there is no waste. The handy dispenser allows easy on site or off site use

C-FL550DD

Art. No.	Description	Size	Absorbency	Packing	Unit
C-FL550DD	3M Chemical Folded Sorbents	5" x 50ft	10.5 gallons	1 roll / box	box

3M Chemical Sorbent Pads

- A low-profile design, so that it can be easily placed in tight areas
- Ideal for cleaning up small spills and wiping down contaminated areas, tools and equipment
- Packaged in a convenient dispenser box
- Pads have a scrim liner for added strength

C-PD914DD

Art. No.	Description	Size	Absorbency	Packing	Unit
C-PD914DD	3M Chemical Sorbent Pads	9.25" x 14.5"	3.92 gallons	25 pcs /box	box

Emergency Eyewash & Shower

Operation Manual

Safetyware

SHOWER

1. Pull down handle **1** to open stay open ball valve to provide large volume of water thru shower head **2** to wash out harmful chemicals or particles from body.
2. Push up handle to close shower valve.

EYEWASH

1. Push down the handle **3** or tread on foot pedal **5** to open stay open ball valve to provide soft stream of water thru eye wash head **4** to clean harmful chemicals or particles from eyes or face.
2. Pull up handle to close eyewash valve.

ESE-1001-FSS

Portable Eyewash

1. Molded handle accepts hanging bracket to permit easy installation on vertical or horizontal surfaces.
2. Large fill hole simplifies refilling and cleaning.
3. Highly visible green color provides easy identification in an emergency situation.
4. Simple, clear operating instructions and illustrations on the unit.
5. Patented nozzle strap is easily removed to activate flushing, leaving hands free to hold eyelids open.

32-000130-0000

Emergency Eyewash & Shower

Installation and Maintenance Standards for Emergency Shower and Eyewash



Assembly & Installation

1. Connect part 1 and part 2.
2. Connect part 2 and part 3.
3. Completed Unit be raised up and fixed by anchor bolts. ***(Anchor bolts are not included in the package).*
4. Before connecting the supply water line to the emergency shower, flush the pipe line thoroughly.
5. Connect water supply pipe.
6. Connect drain pipe.

Anchoring Plan

1. Emergency Shower and Eye Wash must be installed in places that are easily visible and accessible from at least three directions.
2. Water supply must be sourced from the main piping or separate water tank (to ensure constant water supply). The diameter of the water supply pipes should be no smaller than 1". Flowing water pressure should be no less than 2 Bar (30 PSI) and no more than 6 bar (90 PSI).
3. Before connecting the supply water line to the emergency shower. **FLUSH THE PIPE LINE THOROUGHLY.**
4. Emergency Shower and Eye Wash must be tested at least once a week. After testing the units, the authorized personnel should record the date of test and initial on the test tag that is attached near the emergency shower and eyewash.
5. The authorized personnel must be instructed on how to operate the Emergency Shower and Eye Wash.
6. If an accident occurs, the injured person must be showered immediately and medical advice should be sought.
7. Emergency Shower and Eyewash must be installed or should not be placed more than 10 seconds away from where accident might occur.

Emergency Eyewash & Shower

SAFETYWARE Emergency Eyewash & Shower

SAFETYWARE range of Emergency Eyewash & Shower are manufactured with high quality stainless steel (both stand pipe & bowl) which eliminate rusting problem unlike competing brands made with galvanized steel. The eyewash and showers are built to last and will come-in handy during emergency situation. Comply to EN15154-1&2 and ANSI Z358-1 Safety Standard.

ESE-1000-FSS

ESE-1001-FSS

ESE-3000-FSS

ESE-3001-FSS

ESE-4000-FSS

ESE-5000-FSS

ESE-6000-SS

Art. No.	Description	Unit
ESE-1000-FSS	SAFETYWARE Fully Stainless Steel Floor Mounted Emergency Shower & Eyewash Combination	unit
ESE-1001-FSS	SAFETYWARE Fully Stainless Steel Floor Mounted Emergency Shower & Eyewash Combination with Foot Pedal	unit
ESE-3000-FSS	SAFETYWARE Fully Stainless Steel Floor Mounted Emergency Eyewash	unit
ESE-3001-FSS	SAFETYWARE Fully Stainless Steel Floor Mounted Emergency Eyewash with Foot Pedal	unit
ESE-4000-FSS	SAFETYWARE Fully Stainless Steel Wall Mounted Emergency Shower	unit
ESE-5000-FSS	SAFETYWARE Fully Stainless Steel Wall Mounted Emergency Eyewash	unit
ESE-6000-SS	SAFETYWARE Emergency Eye/Body Bench Mounted Hand Shower	unit

Portable Emergency Eyewash & Shower

Honeywell

HONEYWELL Eye-Lert Eye & Skin Flush Station

- HONEYWELL Eye-Lert Eye & Skin Flush Station provide immediate flushing
- They offer high visibility in a hazard area and are readily available for emergency flushing and decontamination of the eyes, face and body
- Each system is designed for easy snap-out access to Eyewash bottles
- Integral overhang protects bottles from dust and debris to minimize maintenance requirements
- It provides longer flow rate than conventional bottles

32-000460-0000

32-000465-0020

Art. No.	Description		Unit
32-000460-0000	HONEYWELL Fend-All 16 oz. Single Eyewash Wall Station	8 units/ case	case
32-000465-0020	HONEYWELL Eye-Lert Eye & Skin Flush Station with 2 x 16oz. Bottle	4 units/ case	case

HONEYWELL Fend-All Water Preservative

- Mix with clean, potable water to create a preserved solution
- Does not require costly plumbing
- Provides a constant fluid flow rate and stream height for the entire 15-minute flushing period required by ANSI Z358.1 when used with Porta Stream I and II
- Contains 236ml and each bottle can treat 5 - 20 gallons of potable water. Packed in 4 bottles/ case
- Hazards: Airborne Particulates, Biohazard, Chemical, Contamination, Gas, Vapors, Smoke, Splash & etc

32-001100-0000

Art. No.	Description	Unit
32-001100-0000	HONEYWELL Fend-All Water Preservative	case

HONEYWELL Fendall Porta Stream I Portable Eyewash

- Delivers 6 minutes of uninterrupted, hands-free flushing without costly plumbing
- Easy installation and can be easily & affordably placed near most workplace hazards with single bracket mounting device
- Nozzle strap is easily removed for hands-free flushing, leaving hands free to hold eyelids open
- Low maintenance with one-piece, molded construction and no moving parts
- Easy-to-use design features simple, highly visible operating instructions on the unit itself

32-000130-0000
(6 minutes Flush Time)

Art. No.	Description	Unit
32-000130-0000	HONEYWELL Fendall Porta Stream I Portable Emergency Eyewash	unit

HONEYWELL Fendall Porta Stream II Portable Eyewash

- Easy installation with no plumbing required
- Porta Stream II can be easily and affordably placed near most workplace hazards with single bracket mounting device
- Large 16 gallons capacity permits thorough flushing by providing 0.4 gpm over the entire 15 minutes flushing period required by ANSI Z358.1-2004
- Simple strap design is easily removed for hands-free flushing, leaving hands free to hold eyelids open

32-000230-0000
(15 minutes Flush Time)

Art. No.	Description	Unit
32-000230-0000	HONEYWELL Fendall Porta Stream II Portable Emergency Eyewash	unit

First Aid Products

Zoll AED Plus (Automated External Defibrillator)

- The 1st and only full-rescue AED
- Equipped with Real CPR HelpTM (for rate and depth of compressions)
- Helps the rescuer provide high-quality cardiopulmonary resuscitation(CPR)
- Support for the complete Chain of Survival
- Help to all victims of Sudden Cardiac Arrest (SCA), even those for which no shock is advised
- A-one-piece electrode pad for fast and accurate placement
- Includes 10 CR123 3V Lithium batteries & CPR-D-Padz

2-0100-0001-0201-1280

Art No.	Description	Unit
2-0100-0001-0201-1280	ZOLL Portable Semi-Automatic Automated External Defibrillator (AED)	unit

Accessories

Art No.	Description	Unit
8900-0800-01	CPR-D Padz® one piece Adult Electrode Pad with Real CPR-Help	pack
8900-0810-01	Pedi-padz® II Pediatric Multi-Fuction Electrodes	pack

Zoll AED Wall Cabinet

- Visibility of your AED Plus is essential so that it is easy to find in an emergency situation
- Easy to install
- The 9" alarmed wall cabinet holds the AED Plus in a carry case with an extra set of electrodes

8000-0855

Art No.	Description	Size	Unit
8000-0855	AED Wall Cabinet	17.5 x 17.5 x 9 inches	pc

Zoll AED Floor-Standing Cabinet

- The alarmed floor-standing AED cabinet is designed to hold the AED Plus in a carry case and fitted with a digital display and speaker that play rescue and AED usage videos
- Floor standing AED cabinet including LED screen, speaker, buzzer, and strobe light
- Additional brochure holder and user guide stickers are included

SF-CABINET

Art No.	Description	Size (W x H x D)	Color	Unit
SF-CABINET	AED Floor-Standing Cabinet	320mm x 1500mm x 200mm	Lime Green	unit

Why Use Lockout & Tagout (LOTO)?

1. High rate of industrial accidents caused by unexpected
2. Industrial accident becomes one of today's most serious issue
3. Lockout & Tagout is a planned safety procedure that disables the energy supply of industrial machinery and equipment while servising, maintenance work or repairs are in progress
4. Improves productivity – minimizes equipment downtime

Keying and Charting Options

a) Keyed Different

- Each Padlock is keyed different, supplies with 2 keys per lock
- This means that the key for one lock should not open another

b) Keyed Alike

- Each padlock is keyed the same
- 1 key will open all padlocks in each group
- This option is beneficial when multiple locks are assigned to a single employee

c) Master Key



- Each padlock is keyed the same in one group
- A master key will overide and open all group of alike keyed

Safety Padlocks

SAFETYWARE Safety Padlocks

- Durable, lightweight with non-conductive Xenoy lock bodies
- High security 10 pin cylinder lock, up to 10,0000 different locking mechanisms
- Key retaining feature ensure the padlocks are not left unlocked
- Colors available : Red, Yellow, Green, Blue, Purple

LT110

Art. No.	Description	Unit
LT110	SAFETYWARE Safety Padlock	unit

Group Lockout Hasps

SAFETYWARE Vinyl Coated Hasp with Tab

- Lockout by multiple workers at each lockout point
- Pry resistant steel jaw with locking tabs and red vinyl coated handle
- Hooks are provided to avoid self-opening of the hasps
- Maximum lock diameter is 3/8" (9.5mm)
- Shackle diameter : 1"(25mm) & 1.5"(38mm)

LT080 LT081

Art. No.	Description	Lock Shackle	Unit
LT080	SAFETYWARE Vinyl Coated Hasp with Tab	1" : 25mm	unit
LT081	SAFETYWARE Vinyl Coated Hasp with Tab	1.5" : 38mm	unit

Group Lockout Hasps

SAFETYWARE PA Coated Steel Hasp

- Made from engineering plastic nylon PA injection molding, galvanized rustproof surface
- Lock hole diameter is 2/5"(10.55mm)
- Lock shackle diameter : 1" (25mm) & 1.5" (38mm)



LT001 LT002 LT001 LT002

Art. No.	Description	Lock Shackle	Unit
LT001	SAFETYWARE PA Coated Steel Hasp	1" : 25mm	unit
LT002	SAFETYWARE PA Coated Steel Hasp	1.5" : 38mm	unit

Circuit Breaker Lockout

SAFETYWARE Miniature Circuit Breaker Lockout

- Made from glass-filled nylon
- Fit most existing types of European and Asia Circuit Breaker
- Recommended to use in combination with a padlock for added safety
- Easily installed with the aid of a push button
- Can take padlocks with a shackle diameter up to 7mm
- Available for single and multiple-pole breakers

LTE01 LTE02 LTE03 LTE04

Pin Out Standard



Pin In Standard

Pin Out Wide

Tie Bar

Art. No.	Description	Unit
LTE01	SAFETYWARE Miniature Circuit Breaker Lockouts (Pin Out Standard)	unit
LTE02	SAFETYWARE Miniature Circuit Breaker Lockouts (Pin In Standard)	unit
LTE03	SAFETYWARE Miniature Circuit Breaker Lockouts (Pin Out Wide)	unit
LTE04	SAFETYWARE Miniature Circuit Breaker Lockouts (Tie Bar)	unit

Circuit Breaker Lockout

SAFETYWARE Clamp-On Breaker Lockout

- Made from rugged polypropylene and impact modified PA
- Use thumbscrew to clamp lockout securely onto switch tongue, then pull cover and lock in place to prevent clamp from being loosened
- New blade design provides tighter grip with less torque on thumb screw
- Detachable cleats expand the range of applicable breakers
- The lockouts can take padlocks with a shackle diameter up to 7 mm

LTE10

LTE11

Art. No.	Description	Unit
LTE10	SAFETYWARE Clamp-On Breaker Lockouts 120 - 277V (Can lock handle width less than 18mm)	unit
LTE11	SAFETYWARE Clamp-On Breaker Lockouts 480 - 600V (Can lock handle width less than 42mm)	unit

SAFETYWARE Large Clamp-On Breaker Lockout

- Made from rugged polypropylene PP and impact modified PA
- Use thumbscrew to clamp lockout securely onto switch tongue, then pull cover and lock in place to prevent clamp from being loosened
- New blade design provides tighter grip with less torque on thumb screw
- Detachable cleats expand the range of applicable breakers
- The lockouts can take padlocks with a shackle diameter up to 7mm

LTE12

Art. No.	Description	Unit
LTE12	SAFETYWARE Large Clamp-On Breaker Lockout 480 - 600V (Can lock handle width less than 72mm)	unit

SAFETYWARE Snap-On Breaker Lockout

- Made from rugged polypropylene and impact modified nylon
- Snap in place and apply lock
- Especially designed for 120V breakers that have holes in the switch tongue
- Dimension: 55mm x 9mm x 21mm

LTE21

Art. No.	Description	Dimension	Unit
LTE21	SAFETYWARE Snap-On Breaker Lockouts	55mm x 9mm x21mm	unit

Electrical Lockout

SAFETYWARE Electrical Plug Lockout

- Made from rugged polypropylene
- The plug completely sits inside the unit with the cable being fed through an access hole inside
- Completely encloses electrical plugs to prevent accidental re-connection

LTE20

Art. No.	Description	Dimension (H x T x W)	Unit
LTE41	SAFETYWARE Electrical Plug Lockout For Cable Diameter 13mm	51mm x 51mm x 89mm	unit
LTE20	SAFETYWARE Electrical Plug Lockout (220 / 500V) For Cable Diameter 20mm	65mm x 65mm x 118mm	unit
LTE43	SAFETYWARE Electrical Plug Lockouts (240 / 415V) For Cable Diameter 20mm	83mm x 83mm x 178mm	unit

Gas & Air Line Lockout

SAFETYWARE Pneumatic Quick-Disconnect Lockout

- Made from impact resistant engineering plastic nylon PA
- Without the need to install a straight interlock valve, can be isolated pneumatic power, lower cost, more convenient
- Applied to the male fitting to isolate equipment from all compressed air sources
- Hole in the center of device allows for permanent storage on an air hose and a loop on the side can be used to hang the hose and lockout device
- Can be equipped with padlocks, lock shackle diameter of 6.4mm(1/4") or 7.1mm (9/32")

LTP01

Art. No.	Description	Dimension	Unit
LTP01	SAFETYWARE Pneumatic Quick Disconnect Lockout	Fitting with 6.4mm , 9.5mm , 12.7mm screwed joint	unit

SAFETYWARE Cylinder Tank Lockout

- Made from engineering plastic PP
- Prevents access to the main cylinder valve
- No need to match your lockout device to varying diameter and threads of cylinder caps
- Can be used for the maximum diameter 80mm of neck ring
- Can be locked with 3 padlocks, lock shackle diameter ≤ 7mm

LTP31

Art. No.	Description	Unit
LTP31	SAFETYWARE Cylinder Tank Lockout	unit

Cable and Chain Lockout

SAFETYWARE Adjustable Cable Lockout

- Made from industrial resin body with insulating coated stainless steel rope
- Withstand extra temperatures of -46°C to 149°C
- Accepts up to 4-6 padlocks for multiple lockout application
- Any slack in the cable can be taken out without the need to remove padlocks
- Equipped with 1.8m, 6mm diameter galvanized steel cable
- Rewritable labels available with warning signs

LTC01

Art. No.	Description	Unit
LTC01	SAFETYWARE Adjustable Cable Lockouts	unit

Valve Lockout

SAFETYWARE Adjustable Gate Valve Lockout

- Made from durable polypropylene for superior impact and chemical resistance
- Lock and protect round valve handles
- Place over the gate valve between the two parts and put your lockout padlock
- Lockout gate valves from 25mm to 165mm (1'' - 6.5'') valve

LT020

	Description	Unit
LT020	SAFETYWARE Adjustable Gate Valve Lockout	unit

Valve Lockout

SAFETYWARE Butterfly Valve Lockout

- Made from durable polypropylene for superior impact and chemical resistance
- Lock the valve rod diameter 8mm-45mm(0.3"-1.8") butterfly valve
- Locked by one padlock, lock shackle diameter ≤ 7mm

LTV21

Art. No.	Description	Unit
LTV21	SAFETYWARE Butterfly Valve Lockout	unit

SAFETYWARE Adjustable Ball Valve Lockout

- Made from polypropylene PP
- Applied Sizes:
  a) LTV01 locks out pipes from 13mm (1/2") to 64mm (2 1/2") in diameter
  b) LTV02 locks out pipes from 50mm (2") to 200mm (8") in diameter
- Padlock locked shackle max diameter is 9mm

LTV01

LTV02

Art. No.	Description	Unit
LTV01	SAFETYWARE Adjustable Ball Valve Lockout 13mm (1/2") to 64mm (2 1/2") pipes	unit
LTV02	SAFETYWARE Adjustable Ball Valve Lockout 50mm (2") to 200mm (8") pipes	unit

Valve Lockout

SAFETYWARE Gate Valve Lockout

- Made from engineering plastic nylon ABS
- Lock the hand wheel diameter 25mm-330mm (1"-13") valve
- Locked by one padlock, lock shackle diameter ≤ 7mm

LTV11

Art. No.	Description	Unit
LTV11	SAFETYWARE Gate Valve Lockout 25mm-64mm (1"-2.5")	unit
LTV12	SAFETYWARE Gate Valve Lockout 64mm-127mm (2.5"-5")	unit
LTV13	SAFETYWARE Gate Valve Lockout 127mm-165mm (5"-6.5")	unit
LTV14	SAFETYWARE Gate Valve Lockout 165mm-254mm (6.5"-10")	unit
LTV15	SAFETYWARE Gate Valve Lockout 254mm-330mm (10"-13")	unit

SAFETYWARE Standard Ball Valve Lockout

- Made from standard A3 steel plate, surface treatment by high temperature spray plastic, not easy to rust
- Single-piece design locks quater-turn ball valves in OFF position, very compact and light weight solution
- Applied size: two sizes fit most valves up to 76.2mm (3")
- Padlock locked shackle max diameter is 10mm

LTV03

LTV04

Art. No.	Description	Unit
LTV03	SAFETYWARE Standard Ball Valve Lockout 6.35mm (1/4") to 25.4mm (1") pipes	unit
LTV04	SAFETYWARE Standard Ball Valve Lockout 38.1mm (1 1/2") to 76.2mm (3") pipes	unit

SAFETYWARE Universal Valve Lockout

- Made from engineering plastic strengthened nylon PA and stainless steel
- Fit the new open-ended clamp over the closed ring, used to lock out the large levels, T-shape handles and other hard-to-secure mechanical devices
- It can be add various accessories to make the device suitable for a range of valves
- Cable accessories can be used 3.2mm (1/8") PVC stainless steel metal cable set
- Universal valve lockout used to max handle width 40mm (handle max thickness 28mm)
- Suitable for gate valve, ball valve, butterfly valve and so on

LTV03

Art. No.	Description	Unit
LTV35	SAFETYWARE Universal Valve Lockout	unit

Emergency Stop Lockout

SAFETYWARE Emergency Stop Lockout

- Made from transparent glass resin
- Fix on press or screw emergency stop button
- Easily used and permanently prevent workers from operating carelessly
- For the hole diameter of 30mm

LTE30

Art. No.	Description	Unit
LTE30	SAFETYWARE Emergency Stop Lockout	unit

Lockout Station

SAFETYWARE Lockout Station (Unfilled)

- 5 hanger clips for safety padlocks or hasps & 1Tag Station (LTT001)
- 14 hanger clips for safety padlocks or hasps & 2 Tag Station (LTT002)

LTT001

Art. No.	Description	Dimension (W x H x T)	Unit
LTT001	SAFETYWARE Lockout Station (unfilled)	40.6cm x 31.5cm x 6.5cm	unit
LTT002	SAFETYWARE Lockout Station (unfilled)	55.8cm x 39.3cm x 6.5cm	unit

SAFETYWARE Lockout Stations

- Provide permanent, high visibility storage to help facilitate proper and convenient lockout requirements
- Constructed of durable polycarbonate to provide a virtually indestructible station
- The cover keeps dust and grime out and it's easily locked by a combination lock
- Can be equipped with 4 locks or 10 locks

LTS01

Art. No.	Description	Dimension (W x H x T)	Unit
LTS01	SAFETYWARE Lockout Station with 4 Locks	40.6cm x 31.5cm x 6.5cm	unit
LTS02	SAFETYWARE Lockout Station with 10 Locks	55.8cm x 39.5cm x 6.5cm	unit

Lockout Tag

SAFETYWARE Identification, Maintenance & Lockout Tags

- Made of 0.5mm High Impact PVC which withstands all weather conditions. Designed to pinpoint potential hazards and identification of safety measure. Wordings in dual language – English & Bahasa Malaysia. The size is available in 80(W) x 150(H) mm.
- Customized Design are available.

One Side Printing

DT 11347

DT 11348



DT 11349

DT 11350

DT 11351

DT 11352

DT 11353

DT 11354

DT 11355

DT 11356

DT 11357

DT 11358

DT 11359

Two Side Printing

Front Back
DT 11360

Front Back
DT 11361

Front Back
DT 11362

Front Back
DT 11363

Front Back
DT 11364

Front Back
DT 11365

Front Back
DT 11366

Front Back
DT 11367

Front Back
DT 11368

Front Back
DT 11369

Lockout & Tagout Kits

You can mix & match the LOTO items that suit your needs to make up the Lockout Kit/Pouch. (Please refer to page 14-22)

Personal Lockout Kits
(with LOTO storage box)

Personal Lockout Pouches
(with LOTO Storage Pouch)

Group Lockout Kit
(with LOTO storage Bag with Two Transparent Boxes)

Road Safety Products

Traffic Cone

- Made of durable material with high visibility reflective silver stripe
- Red color body together with the reflective stripe provides good day and night visibility
- Available in 4 heights
- 18" and 30" models comes with either solid square rubber base or sand-filled plastic base
- 24" model is with plastic triangle base
- Reflective stripes can be custom made with your company name or logo and apply on the traffic cone

TS-TC18/R

TS-TC30/P

TS-TC24/P

TS-RTC28/R

TC-ADAPTA

Art. No.	Description	Base	Unit
TS-TC18/R	18" Traffic Cone	Solid Rubber	pc
TS-TC18/P	18" Traffic Cone	Plastic	pc
TS-TC24/P	24" Triangle Traffic Cone	Plastic	pc
TS-TC30/R	18" Traffic Cone	Solid Rubber	pc
TS-TC30/P	18" Traffic Cone	Plastic	pc
TS-RTC28/R	28" Retractable Traffic Cone With Top Light	ABS Base	pc
TC-ADAPTA	30" ADAPTA Traffic Cone	Polyethylene	pc

PVC Lane Divider

- Made to last and offers superb impact resistance
- Weather resistant and has outstanding reboundable properties
- Comes with three reflective stripes which enhanced the visibility especially in dark condition
- Can be mounted by adhesive or bolts.
- Height = 30"

TS-FTC30

Art. No.	Description	Unit
TS-FTC30	PVC Lane Dividor	pc

Road Safety Products

T-Top Delineator Post

- Made with a solid & heavy rubber base with grip for extra stability
- Perfect for demarcating traffic flow
- Comes with 1-round of reflective tape for better visibility especially during night time
- T-Top allows interlink with nylon or plastic chains
- Height = 43"

TS-DP43

Art. No.	Description	Unit
TS-DP43	T-Top Delineator Post	pc

Expandable Connecting Rod For Traffic Cone

- Made with plastic and is lightweight yet durable to be use for many times
- Comes with an open ring on both ends which can be attach easily to a traffic cone
- Used mainly to form a barricade and to prevent unauthorized access
- Expand up to 2 meter
- Color = Yellow / Black stripes

TS-CR-BY

Art. No.	Description	Unit
TS-CR-BY	Expandable Connecting Rod for Traffic Cone	pc

SAFETYWARE Reflective Delineator Rope

- Can be used to control crowds
- Have excellent visibility
- Used to direct traffic or marking dangerous areas
- Length = 1 roll (50m x 50pcs reflective tapes)

TS-RDR-O

Art. No.	Description	Color	Unit
TS-RDR-O	SAFETYWARE Reflective Delineator Rope	Orange Reflector with Yellow Rope	roll
TS-RDR-S	SAFETYWARE Reflective Delineator Rope	Silver Reflector with Yellow Rope	roll
TS-RDR-Y	SAFETYWARE Reflective Delineator Rope	Yellow Reflector with Orange Rope	roll

Road Safety Products

Rubber Speed Hump

- Made with durable rubber material with black & yellow color combination for greater visibility
- It's moisture and temperature resistant
- Modular design allows easy installation
- Comes in 1 whole piece of yellow/black/yellow/black color
- End caps come in 1 pair of yellow and black respectively

TS-RSH-BY-20

Size of Rubber Speed Hump **i) 1000mm(L) x 380mm(W) x 50mm(H)**
Size of End Caps (per set) **i) 380mm(L) x 380mm(W) x 50mm(H)**

Art. No.	Description	Color	Unit
TS-RSH-BY-20	Rubber Speed Hump	Black + Yellow	pc
TS-RSH-EC-BY-20	End Caps	Black + Yellow	set

Rubber Wheel Stopper

- Made with rubber material which is durable and can withstand moisture and temperature
- Designed to be installed at parking lot and can withstand great pressure from reversing vehicles
- Comes in a set of 4pcs (2 yellow + 2 black)

TS-WS-BY

Size (per set) **i) 500mm(L) x 150mm(W) x 50mm (H))**

Art. No.	Description	Color	Unit
TS-WS-BY	Rubber Wheel Stopper	Black + Yellow	pc

Rubber Wheel Chock

- Can preventing a car from rolling
- It's will keep your vehicles parked securely in one place
- Textured base gives you additional grip
- Oil Resistant for long performance life

RWC

Art. No.	Description	Dimension	Unit
RWC	Rubber Wheel Chock	270mm x 192mm x 165mm	pc

Road Safety Products

3M™ Raised Pavement Markers Series 290AI Road Studs

- It is provide the road users with brighter raised pavement markers for application on sharp curves, gore areas, lane delineation and other applications
- Application with commercially available bitumen or epoxy adhesives
- Impact and abrasion resistance
- Asphalt and port cement application
- Wet and dry retroreflectivity
- Color available:
  Yellow/Yellow, Red/Red, White/Yellow, White/Red, White/White

290AI

Art. No.	Description	Unit
290AI	3M™ Raised Pavement Markers 290AI 2-WAY	pcs

Rubber Corner Guard

- Made with high impact resistance rubber which in durable & strong
- Ideal for protection of corners & column against being damaged by moving vehicles
- Yellow reflective stripes also provide high reflectivity at night
- Widely used in basement parking, hotel parking, and also warehouse with traffic flow

TS-CG-BY

Art. No.	Description	Size (L x W x T)	Unit
TS-CG-BY	Rubber Corner Guard	800mm x 100mm x 12mm	pc

EAGLE Column Protector

- Affordable protection for warehouse and factory columns and beams
- 100% high density polyethylene protectors fit 10" round or square supports
- Two halves attach with easy to install straps

1708

Art. No.	Description	Unit
1708	8" Yellow Column Protector	pc
1710	10" Yellow Column Protector	pc
1712	12" Yellow Column Protector	pc

Road Safety Products

Hazard Warning Light

- Made with ultra bright L.E.D. and is very durable even under the harshest environment
- Essential for construction industry, emergency response personnels, utility crews and others where quick deployment of warning light is needed
- Ideal for many applications particularly to highlight obstacles and danger in hazardous area.

TBL-LED-A

TBL-LED-R

Art. No.	Description	Color	Unit
TBL-LED-A	Hazard Warning Light w/o Battery	Amber	pc
TBL-LED-R	Hazard Warning Light w/o Battery	Red	pc

Cone Hazard Warning Light

- Can be used as either handheld device or mounted onto standard traffic cone
- Ultra bright L.E.D. provides good visibility in low light condition and is good for highlighting obstacles and danger in hazardous area
- Available in amber or red light

CTL-LED-A

Art. No.	Description	Color	Unit
CTL-LED-A	Cone Hazard Warning Light	Amber	pc
CTL-LED-R	Cone Hazard Warning Light	Red	pc

Traffic Baton

- Is a hand held, battery powered warning light wand
- It's durable and is designed for crowd and traffic control
- Offers super bright emergency light, and is impact & weather resistant
- Comes with non-slip designed handle and a wrist / belt strap
- Batteries to be purchased separately

J-002

Art. No.	Description	Size	Unit
J-002	Traffic Baton	30 x 180 x 360mm	unit
J-003	Traffic Baton	30 x 335 x 535mm	unit
J-005	Traffic Baton	40 x 345 x 560mm	unit

Road Safety Products

Warning Triangle Board

- Made with red & orange color for higher visibility
- Small & portable which can be deployed easily when needed
- Can be folded and kept in the plastic storage case
- Ideal to be kept in vehicles and will comes in handy during emergency situation

TS-WT-HD

Art. No.	Description	Sizes	Unit
TS-WT-HD	Warning Triangle Board	420 x 420mm	pc

Reflective Tape for Truck

- Highly reflective tape with pressure sensitive adhesive
- Designed for application to side and rear of large trailers, trucks and other vehicles to increase their visibility
- Comes in a roll of 50 meter and width of 50mm (2-inch)
- Can be easily cut into the desired length to suit different requirement

TS-ARFT-RW2

Art. No.	Description	Length	Unit
TS-ARFT-RW2	Reflective Tape for Truck	50 meter	roll

Safety Net

- Designed to protect against falling objects & falling men
- Suitable for construction industry, high rise building and protecting workers on mezzanines or scaffolding
- Can be used as a barrier for safe viewing at sporting events
- A variety of specification is available

SNET-BG401

Art. No.	Description	Sizes	Unit
SNET-BG401	Safety Net (4mm Twine Dia.)	50ft x 60ft	roll

Wind Socks

- Made with lightweight & durable nylon material
- Designed to indicate wind direction and relative wind speed
- Commonly used at airports and at chemical plants where there is risk of gaseous leakage
- Suitable to be used alongside highways at windy location
- Bracket purchase seperately

WS-24

Art. No.	Description	Length	Diameter	Unit
WS-24	Small Wind Sock	6ft	24" / 15"	pc
WS-32	Medium Wind Sock	6ft	32" / 15"	pc
WS-36	Large Wind Sock	6ft	36" / 15"	pc

Traffic Barrier

Expandable Barrier

- Design to restrict access to danger and temporary hazard areas
- Compact, portable and lightweight characteristic and suitable to use at indoor and outdoor
- Available in two materials : plastic (TS-EPB2.5) & metal (TS-EMB2.5)

TS-EPB2.5

TS-EMB2.5

Art. No.	Description	Color	Unit
TS-EPB2.5	Plastic Expandable Barrier	Yellow / Black	pc
TS-EMB2.5	Metal Expandable Barrier	Yellow / Black	pc

Road Barrier

- Made of lightweight & durable polyethylene
- Transportable and is ideal as barrier for channeling vehicles or pedestrian traffic
- Size : 1200mm(L) x 500mm(W) x 800mm(H)
- Available in red or white color

WRB-RW-R

Art. No.	Description	Dimension (L x W x H)	Unit
WRB-RW-R	Waterfill Plastic Road Barrier	1200mm x 500mm x 800mm	pc

Barrier Tape

Printed Barrier Tape & Non-Printed Barrier Tape

- Made of polyethylene which is extremely durable and highly visible
- Designed to seal off and prevent unauthorized access to danger & hazardous areas
- Good tensile strength and can stretches up to twice its normal length before breaking

PBT-1

PBT-2

PBT-3

PBT-4

Art. No.	Description	Color	Width x Length	Unit
PBT-1	Printed Barrier Tape – Awas Di Larang Masuk / Caution No Admittance	Yellow / Black	76mm x 305m	roll
PBT-2	Printed Barrier Tapes – Awas / Caution	Yellow / Black	76mm x 305m	roll
PBT-3	Printed Barrier Tapes – Awas / Caution	Red / White	76mm x 305m	roll
PBT-4	Printed Barrier Tapes – Bahaya / Danger	Yellow	76mm x 305m	roll
NBT 76BY	Non-Printed Barrier Tape	Yellow / Black	76mm x 305m	roll
NBT 76RW	Non-Printed Barrier Tape	Red / White	76mm x 305m	roll

Floor Tape

Adhesive Floor Tape

- For indoor and outdoor use
- Durable, visible self-adhesive tape
- Ideal for marking physical hazards, traffic, housekeeping identification,etc
- Two-color stripe enhance the visibility in low light conditions
- Color available : Black / Yellow and Red / White stripes
- Width : 48mm , Length : 20m/roll

SE2620-48-20-BY & SE-2620-48-20-RW

Art. No.	Description	Unit
SE2620-48-20-BY	Adhesive Floor Tape (Black / Yellow)	roll
SE2620-48-20-RW	Adhesive Floor Tape (Red / White)	roll

SAFETYWARE Floor Marking

- Exceeds safety standards for clean, dry non-slip surface
- Excellent sticking properties and is bright which makes it clearly visible
- Resists harsh chemicals
- Floor marking can be custom made with your company needs

FMS-0001/R

FMS-0002/G

Art. No.	Description	Color	Unit
FMS-0001/R	SAFETYWARE Arrow Floor Marking	Red	50pcs/pack
FMS-0001/B	SAFETYWARE Arrow Floor Marking	Blue	50pcs/pack
FMS-0001/G	SAFETYWARE Arrow Floor Marking	Green	50pcs/pack

Art. No.	Description	Color	Unit
FMS-0002/R	SAFETYWARE Foot Prints Floor Marking	Red	10 left & 10 rights/pack
FMS-0002/B	SAFETYWARE Foot Prints Floor Marking	Blue	10 left & 10 rights/pack
FMS-0002/G	SAFETYWARE Foot Prints Floor Marking	Green	10 left & 10 rights/pack

Anti-Slip Floor Tape

SAFETYWARE Anti-Slip Floor Tape

- Long lasting adhesive backed tape designed especially for applications in high traffic areas where slippery or dangerous surfaces may cause accidents
- High traction surface features a rugged aluminium oxide grit, bonded to the tape, that is impervious to water, grease, oil, detergents and solvents
- Easy to apply, just peel off backing and press in place
- Suggested applications include stairs, ladders, ramps, dock lifts and shipping areas
- Can be used indoors or outdoors to clearly identify various pathways or hazardous areas.
- Available in 2", 4" and 6" widths with 60ft in length per roll
- Color available : solid black, black / yellow stripes and glow in the dark (photo luminescent)

AST-PHL2

AST-BLK2 AST-YBS2

Art. No.	Description	Color	Width x Length	Unit
AST-BLK	Anti-Slip Floor Tape	Black	2", 4", 6"	roll
AST-YBS	Anti-Slip Floor Tape	Black / Yellow	2", 3"	roll
AST-PHL	Anti-Slip Floor Tape	Glow in the dark	2", 4", 6"	roll

Floor Mats

Cleanroom Sticky Mat

- Fast, reliable & convenient way to clean shoe sole before entering a clean area
- Ideal for industrial such as electronics, food, aerospace and pharmaceuticals
- Peel-off sheet design eliminates the need for messy cleaning and make it easy to maintain a clean surface
- Packing: 30 sheets / mat ; 8 mats / carton

SM2436

Art. No.	Description	Dimension	Unit
SM2436	Sticky Mat	24" x 36"	carton
SM2645	Sticky Mat	26" x 45"	carton

Anti-Slip & Anti-Fatigue Mat

- Provides good anti-slip & anti Fatigue performance which increases safety, reduces accidents and increases performance at work.
- Ideal for kitchens, industries work stations, packaging areas & assembly line which are subject to liquid, fats grease, oil, & long hour standing
- Available in black color only.

MAT-SW12

Art. No.	Description	Dimension	Unit
MAT-SW12	SafeWalk Anti-Slip & Anti-Fatigue Mat	3ft x 5ft	pc

Floor Mats

Anti-Slip Floor Mat

- Designed with open construction for water to run through the matting, keeping mat drier than surrounding areas
- Resistant to fungus, mildew, body oils and chemicals and is excellent for locker rooms, around saunas, pools, and shower areas
- Comes in roll form of 4ft (Width) x 50ft (Max Length), can select the length required



MAT-AS

Art. No.	Description	Color	Dimension (W x L)	Unit
MAT-AS	Anti-Slip Floor Mat	Blue / Grey	4ft x up to 50ft	sq. ft

MAT-Clean Grip

- Constructed of 100% nitrile rubber for oil & chemical resistant with molded face cleats act as scrapers to remove heavy dirt & soil from shoe.
- Excellent non-skid surface even in wet, oily or muddy environments.
- Easy cleaning procedures – just hose off
- Usage : Kitchen, Locker Rooms, Outside Main Entrances, Behind Lounge Counters & Bars, Production Areas, Slippery Inclines
- Size available : 3' x 5' , 4' x 6' , 3' x 10' , 4' x 10'

MAT-Clean Grip

Art. No.	Description	Color	Unit
MAT-Clean Grip	Heavy Duty Clean Grip Mat	Black	sq. ft

3M Safety –Walk Anti-Slip Mat

- Mineral-coated surface provides a high coefficient of friction to significantly increase the security of footing, resulting in fewer slips and falls
- Adhesive holds easily and securely for easy installation and long life
- Moldable foiled backing conforms around corners and adheres to irregular surface

510

Art. No.	Description	Sizes	Color	Unit
510	3M Black Anti-Slip Mat	6" x 60ft	Black	roll
530	3M Yellow Anti-Slip Mat	6" x 60ft	Yellow	roll

Convex Mirrors & Dome Mirrors

Convex Mirrors

- First line of defense against theft and pilferage
- Increase aisle visibility and elimate blink spots
- Mirrors are lightweight, fade-proof and unbreakable with top-quality silvering and near-perfect convexing which affords the widest angel of vision
- Indoor mirrors are an excellent choice for plant safety, reception areas and industrial applications
- Outdoor mirrors have weather proofing to protect against the elements and are excellent for parking garages

CM-ID-600S

CM-OD-600P

Indoor Convex Mirrors

Art. No.	Description	Sizes	Color	Unit
CM-ID-450P	Indoor Convex Mirror with Bracket	450mm	Polycarbonate	unit
CM-ID-600P	Indoor Convex Mirror with Bracket	600mm	Polycarbonate	unit
CM-ID-600S	Indoor Convex Mirror with Bracket	600mm	Stainless Steel	unit

Outdoor Convex Mirrors

Art. No.	Description	Sizes	Color	Unit
CM-OD-450P	Outdoor Convex Mirror with Bracket	450mm	Polycarbonate	unit
CM-OD-600P	Outdoor Convex Mirror with Bracket	600mm	Polycarbonate	unit
CM-OD-800P	Outdoor Convex Mirror with Bracket	800mm	Polycarbonate	unit
CM-OD-800S	Outdoor Convex Mirror with Bracket	800mm	Stainless Steel	unit
CM-OD-1000P	Outdoor Convex Mirror with Bracket	1000mm	Polycarbonate	unit

Dome Mirrors

- Provide corridor intersection safety with safety traffic mirrors
- Offer bright, distortion-free views of movement from all directions at blind corners, three-way and four-way intersections
- Shatter-resistant acrylic construction will not deteriorate, discolor or lose plating
- Available in 18", 26", 36" and 48" in sizes in 360°, 180° or 90° models. 18" and 26" models are ideal for offices and stores
- 36" and 48" models are ideal for use in warehouses and production facilities



DM-H-600A

DM-F-600A

Art. No.	Description	Sizes	Color	Unit
90° Degree View				
DM-Q-600A	Dome Mirror with Bracket	600mm	Acrylic	unit
180° Degree View				
DM-H-600A	Dome Mirror with Bracket	600mm	Acrylic	unit
360° Degree View				
DM-F-600A	Dome Mirror with Bracket	600mm	Acrylic	unit

Importance of Pipe Makers

BRADY
WHEN PERFORMANCE MATTERS MOST™

Brady's high performance and customizable pipe markers allow you to easily identify pipe contents and flow direction that keeps your facilities safe and compliant. Pipe markers are suited for various industries such as marine, chemical, oil & gas, food & beverage, manufacturing and more.

A good pipe identification program provides many advantages

- Aids in quick identification of pipes' contents, especially during emergency
- Facilitate traceability and eliminate errors, saving time and money
- Lower accident rates and enhance safety in the facilities
- Reduce maintenance and repair downtime
- Compliance to industry standards

Pipe Marker Color Recommendation

Guidelines taken from ASME (ANSI) Standard A13.1-2007

Classification	Example	Colour Scheme
Potable, Cooling, Boiler Feed & Other Waters	Waste Water	White On Green
Flammable Fluids	Gas	White On Yellow
Compressed Air	Air 100 PSI	White On Blue
Fire-quanching Fluids	Halon	White On Red
Toxic / Corrosive Fluids	HCL	White On Orange
Combustion Fluids	Vapor	White On Brown
Acids & Alkalis	Defined By User	White On Purple
Non-Flammable Gas		White On Gray
Air Vantilation System		Black On White
Waste Media		White On Black

Text Height

Text height and marker's length recommendation with reference to outer diameter of pipe (ASME)

Pipe Outer Diameter		Height Of Letter		Marker's Length	
Inch	mm	Inch	mm	Inch	mm
0.75 - 1.25	19 - 32	0.5	13	8	200
1.5 - 2	38 - 51	0.75	19	8	200
2.5 - 6	64 - 150	1.25	32	12	300
8 - 10	200 - 250	2.5	64	24	600
> 10	> 250	3.5	89	32	800

Visibility of Pipemarkers based on Piping Glow Direction

Pipes should be identified using pipe markers in the following cases, with arrows indicating the direction of flow.



Case 1

Pipes should be marked adjacent to all valves and flanges



Case 2

Pipes should be marked adjacent to change in directions



Case 3

Pipes should be marked at both sides of the floor or wall

Case 4

Pipes should be marked every 25' to 50' interval on straight runs



Case 5

Pipe markers should be located in position such that they are readily visible to personnel in the facility from the point of normal approach

BRADY Sign & Label Printer

BRADY
WHEN PERFORMANCE MATTERS MOST™

Smart Supplier



Drop in your material and ribbon cartridges, the printer does the rest. These supplies feature smart cell technology that tells the printer exactly how to format your label according to the material that is inserted.

Touch and Go Display

All the features you use most, right at your fingertips. This touch screen display lets you drag and drop objects and text until your label looks exactly the way you want it.

Applications Abound

This printer can take on all the different labeling needs of your facility with the ability to print labels from 1/2" to 4" wide and with pre-programed graphics and ready-made templates. With the many options packed into this printer, your applications are endless.

Stand Alone or PC Operation

You decide how would like to use the printer either connected to your PC, or as a stand alone mobile unit.

Powerful Software Options

MarkWareTM Software offers the industry's most advanced PC design and editing capabilities. There are more fonts, graphics, templates and import tools.

BBP31 Sign and Label Printer

Art. No.	Description	Unit
BBP31	BBP31 Sign & Label Maker*	unit

* BBP31 Sign & Label Printer ships with printer, power cord, USB cable, drivers CF, stylus, cleaning kit, cutter cleaning tool, quick start guide and documentation holder

BBP31

Art. No.	Description	Unit
BBP31-ARCFLASH KIT	BBP31 Printer w/ Arc Flash Supply Kit	unit
BBP31-SFTY KIT	BBP31 Printer w/ Safety & Compliance Supply Kit	unit
BBP31-LEANVW KIT	BBP31 Printer w/ 5S Visual Workplace Supply Kit	unit
BBP31-PIPE KIT	BBP31 Printer w/ Pipe ID Supply Kit	unit
BBP31-GENIND KIT	BBP31 Printer w/ General Industrial 5S Supply Kit	unit

BRADY Sign & Label Printer

Multiple Print Colors

- Print signs and labels that are more noticeable, more memorable and effective
- Color is the differentiator when you need to effectively improve workplace safety and productivity

Shape Cutting

- Revolutionary built-in XY plotter-cutter system in the BBP37 printer
- Cut out shapes and text, or cut around your message to create labels that look and fit just how you want them to

Label Making Made Easy

- Incredibly easy and intuitive
- Ideal for multiple users, centralized locations and lean 5S events
- Compatible with powerful Brady Workstation Label Apps for added versatility

Automatic Label Setup

- Printers read critical information from the supply cartridge and then automatically set up the label attributes so you can start printing immediately
- No more calibration or wasted labels, no print speed/burn temperature trial labels, no scrolling through screens to select a label and no wasted time setting up label dimensions or text size



20-second Material Changeovers

- "Drop in" ribbons and labels mean no complicated threading, assembling spindles, sensor adjustment or calibration steps
- You can get on with the job faster, giving you more time for other tasks

5 Inches per Second Print Speed

- Fast processing time and print speed mean youdon't have to wait around for your labels



Legendary Material Performance

- Brady labels are reliable and durable because we design labels in our own facilities and put them through rigorous R&D tests and trials before they're ready for use
- Nothing leaves our doors without meeting our standards
- Some last up to 10 years outdoors. Stick to rough surfaces or smooth; dirty surfaces or clean; in harsh conditions or normal conditions. With that kind of reliability, you'll only need to make these labels once

Options. Lots of Options

- Print pipe labels, GHS chemical labels, labels that glow in the dark and labels that aren't even labels at all (they're tags!)
- With over 300 parts in all, you can label it all!
- Any "B30" label or ribbon supply is compatible for use in BBP35 and 37 sign and label printers, if it wasmanufactured after September 1, 2015

Supply Starter Kits

Get started right and save a little too with a Brady supply starter kit! Packages of most commonly used labels and ribbons for the most common labeling applications. Just enough supplies to ensure you have what you need to get going on that project.

Basic Supply Starter Kit - Small

- (1) 4" Yellow Vinyl (B30C-4000-595-YL)
- (1) 4" White Vinyl (B30C-4000-595-WT)
- (1) 2.25" Red Vinyl (B30C-2250-595-RD)
- (1) Black Print Ribbon (B30-R10000)
- (1) White Print Ribbon (B30-R10000-WT)

Art. No.	Description	Unit
146069	Basic Suppy Starter Kit – Small	unit

Gauge Label Supply Kit - Small

- (2) 4" White Vinyl (B30C-4000-595-WT)
- (2) Green & Red Paneled Print Ribbon - 8" Panel length (B30-R10000-GR-8) Printer sold separately. BBP35 or 37 models needed to use these supplies

Art. No.	Description	Unit
146070	Gauge Label Supply Kit	unit

Arc Flash Supply Kit - Small

- (2) 4 x 6 ANSI Warning Header Roll (B30-25-595-ANSIWA)
- (1) Black Print Ribbon (B30-R10000) Printer sold separately

Arc Flash Supply Kit - Large

- (2) 4" x 6" B-595 ANSI Warning Header (B30-25-595-ANSIWA)
- (1) 2.25" x 3" B-595 ANSI Warning Header (B30-241-595-ANSIWA)
- (1) 1" x 4" B-593 White Raised Panel Label (B30EP-174-593-WT)
- (1) 2.25" B-595 Orange Vinyl (B30C-2250-595-OR)
- (3) Black Print Ribbon (B30-R10000) Printer sold separately

Art. No.	Description	Unit
142061	Arc Flash Warning Supply Kit – Large	unit
146071	Arc Flash Warning Supply Kit – Small unit	unit

GHS Supply Kit - Small

- (2) 4 x 6" GHS label w/L4B four-diamond layout (B30-262-7569-CLP4B)
- (1) Black Print Ribbon (B30-R10000) Printer sold separately

GHS Supply Kit - Small

- (1) 4 x 6" GHS label w/L4B four-diamond layout (B30-262-7569-CLP4B)
- (2) 3 x 4" GHS label w/L4B four-diamond layout (B30-261-7569-CLP4B)
- (1) 2 x 3" GHS label w/L4B four-diamond layout (B30-260-7569-CLP4B)
- (2) 3 x 4" GHS label w/L4B four-diamond layout (B30-261-7569-CLP4B)
- (3) Black Print Ribbon (B30-R10000) Printer sold separately

Art. No.	Description	Unit
146072	GHS Supply Kit – Large	unit
146073	GHS Supply Kit – Small unit	unit

Safety & Compliance Supply Kit - Large

- (1) 4" x 6" B-595 ANSI Danger Header (B30-25-595-ANSIDA)
- (1) 4" x 6" B-595 ANSI Warning Header (B30-25-595-ANSIWA)
- (1) 4" x 6" B-595 ANSI Caution Header (B30-25-595-ANSICA)
- (1) 4" x 6" B-595 ANSI Notice Header (B30-25-595-ANSINO)
- (1) 4" x 6" B-595 RTK NFPA (B30-263-595-NFPA)
- (2) Black Print Ribbon (B30-R10000)
- (1) Red Print Ribbon (B30-R10000-RD)

Art. No.	Description	Unit
142062	Safety & Compliance Supply Kit – Large	unit

Safety & Compliance Supply Kit - Large

- (1) 4" B-595 White Vinyl (B30C-4000-595-WT)
- (1) 2.25" B-595 White Vinyl (B30C-2250-595-WT)
- (1) 4" B-595 Yellow Vinyl (B30C-4000-595-YL)
- (1) 2.25" B-595 Yellow Vinyl (B30C-2250-595-YL)
- (1) 2.25" B-581 Repositionable Vinyl (B30C-2250-581-WT)
- (1) 1.125" B-581 Repositionable Vinyl (B30C-1125-581-WT)
- (1) 2.5" Magnetic Vinyl (B30C-2500-509-WT)
- (1) Blank Valve Tag Variety Pack (142133)
- (1) Die Cut Labels for Valve Tags (B30-219-595-BLNKWT)
- (1) 4" x 6" B-595 Caution Header (B30-25-595-ANSIWA)
- (2) Black Print Ribbon (B30-R10000)
- (1) Red Print Ribbon (B30-R10000-RD)
- (1) Green Print Ribbon (B30-R10000-GN)
- (1) Blue Print Ribbon (B30-R10000-BL)

Art. No.	Description	Unit
142063	5S Visual Workplace Supply Kit – Large	unit

Pipe Identification Supply Kit - Large

- (1) 4" B-595 Yellow Vinyl (B30C-4000-595-YL)
- (1) 2.25" B-595 Yellow Vinyl (B30C-2250-595-YL)
- (1) 1.125" B-595 Yellow Vinyl (B30C-1125-595-YL)
- (1) 4" B-595 Green Vinyl (B30C-4000-595-GN)
- (1) 2.25" B-595 Green Vinyl (B30C-2250-595-GN)
- (1) 1.125" B-595 Green Vinyl (B30C-1125-595-GN)
- (1) 1.125" B-595 Blue Vinyl (B30C-1125-595-BL)
- (1) 2.25" B-595 Red Vinyl (B30C-2250-595-RD)
- (1) 1.125" B-595 Red Vinyl (B30C-1125-595-RD)
- (1) 1" x 4" B-593 Black Raised Panel (B30EP-174-593-BK)
- (1) Blank Valve Tag Variety Pack (142133)
- (1) Small Die Cut Labels for Valve Tags (B30-242-595-BLNKWT)
- (3) Black Print Ribbon (B30-R10000)
- (2) White Print Ribbon (B30-R10000-WT)

Art. No.	Description	Unit
142064	Pipe ID Supply Kit - Large	unit

General Industrial & 5S Supply Kit - Large

- (1) 4" B-595 White (B30C-4000-595-WT)
- (1) 2.25" B-595 White (B30C-2250-595-WT)
- (1) 1.125" B-595 White Vinyl (B30C-1125-595-WT)
- (1) 4" B-595 Yellow Vinyl (B30C-4000-595-YL)
- (1) 2.25" B-595 Yellow Vinyl (B30C-2250-595-YL)
- (1) 1.125" B-595 Yellow VinYL (B30C-1125-595-YL)
- (1) 2.5" x 3" B-593 Black Raised Panel (B30EP-177-593-BK)
- (1) 4" x 6" B-595 ANSI Danger Header (B30-25-595-ANSIDA)
- (1) 4" x 6" B-595 ANSI Caution Header (B30-25-595-ANSICA)
- (1) 2.25" Reflective Yellow (B30C-2250-584-YL)
- (1) 4.25" White Tag Stock (B30C-4250-551-WT)
- (2) Black Print Ribbon (B30-R10000)
- (1) White Print Ribbon (B30-R10000-WT)
- (1) Red Print Ribbon (B30-R10000-RD)

Art. No.	Description	Unit
142065	General Industrial & 5S Supply Kit - Large unit	unit

SAFETY RAILING

ModuRail gives you the ultimate freedom to design and self-assemble safety railings anywhere, anyhow and ayntime you need. It's fast, and it can all be done without the need of special tools.

DON'T BE HELD BACK BY OLD RAILINGS

ModuRail Safety Railings are manufactured using state-of-the-art technology and innovative design to bring you the best of safety with ease of use.

No Waiting Time

With ModuRail, you can DIY and assemble it yourself instantly. No time wasted waiting for the outsourced fixers to install your railings.

No Worries about Safety

ModuRail safety railings are manufactured under stringent quality control, using robust material that can protect against the most aggressive external force.

No Breakage

Unlike old railings that pose to be wobbly, endangering people, the railings of ModuRail are strong, as it is made of high quality durable pipes using state of the art robotic welders.

No Maintenance Needed

Coated with superior epoxy powder coat, ModuRail safety railings will still look good even after years of use.

STEP INTO THE FUTURE WITH MODURAIL

Where railings are easy to transport, easy to assemble, reusable and safe year after year.

Safe, Durable and Reliable

Made of high quality robust material that is strong enough to withstand the toughest external force against it, ModuRail keeps people and things safe.

Bespoke Coating Finishes

Tailor-made configurations and colours are available. Talk to us today for a custom-made solution.

Ready-Packed Modules

ModuRail Safety Railings come in ready-packed modules complete with installation instructions for easy assembly.

Flexible and Customizable

Available in L-shaped or U-shaped working cell, as well as closed or partially-closed cells, you can easily find a module that fits your need.

PERFECT FOR INSTANT INSTALLATION

ModuRail Safety Railings are ideal to be installed wherever you need to keep people safe and to prevent accidents. It is ideal for use in factories, shopping malls, parking lots, logistic stores, both indoors and outdoors.

ModuRail Single Safety Railings

ModuRail comes in modular packages, available in single layer and dual layer safety railings, and L-shaped or U-shaped working cell. The choice is yours to pick what you need for the assembly of your design.

SR-04-01

SR-04-02

SR-06-03

SR-08-03

Art. No.	Description	Dimension (L x H)	No. of std items	Approx. total weight (kg)
SR-04-01	ModuRial Single Safety Railings	4ft x 0.4ft	5	4.9
SR-04-02	ModuRial Single Safety Railings	4ft x 1.5ft	7	6.7
SR-04-03	ModuRial Single Safety Railings	4ft x 2.5ft	11	8.4
SR-04-04	ModuRial Single Safety Railings	4ft x 3.5ft	15	10.1
SR-06-01	ModuRial Single Safety Railings	6ft x 0.4ft	7	6.3
SR-06-02	ModuRial Single Safety Railings	6ft x 1.5ft	9	8.2
SR-06-03	ModuRial Single Safety Railings	6ft x 2.5ft	13	9.9
SR-06-04	ModuRial Single Safety Railings	6ft x 3.5ft	17	11.6
SR-08-01	ModuRial Single Safety Railings	8ft x 0.4ft	9	7.8
SR-08-02	ModuRial Single Safety Railings	8ft x 1.5ft	15	11.8
SR-08-03	ModuRial Single Safety Railings	8ft x 2.5ft	21	14.4
SR-08-04	ModuRial Single Safety Railings	8ft x 3.5ft	27	16.9

ModuRail Double Safety Railings

DSR-06-03

DSR-08-03

Art. No.	Description	Dimension (L x H)	No. of std items	Approx. total weight (kg)
DSR-04-03	ModuRail Double Safety Railings	4ft x 2.5ft	16	11.5
DSR-04-04	ModuRail Double Safety Railings	4ft x 3.5ft	20	13.2
DSR-06-03	ModuRail Double Safety Railings	6ft x 2.5ft	20	14.5
DSR-06-04	ModuRail Double Safety Railings	6ft x 3.5ft	24	16.2
DSR-08-03	ModuRail Double Safety Railings	8ft x 2.5ft	31	20.7
DSR-08-04	ModuRail Double Safety Railings	8ft x 3.5ft	37	23.2

ModuRail L-shaped Safety Railings

SR-06X04-03
Single L-shaped Safety Railing

DSR-04X04-03
Double L-shaped Safety Railing

Art. No.	Description	Dimension (L x H)	No. of std items	Approx. total weight (kg)
SR-04X04-03	ModuRail Single L-shaped Safety Railings	4ft x 4ft x 2.5ft	27	17.5
SR-04X04-04	ModuRail Single L-shaped Safety Railings	4ft x 4ft x 3.5ft	35	20.9
SR-06X04-03	ModuRail Single L-shaped Safety Railings	6ft x 4ft x 2.5ft	29	18.9
SR-06X04-04	ModuRail Single L-shaped Safety Railings	6ft x 4ft x 3.5ft	37	22.3
DSR-04X04-03	ModuRail Single L-shaped Safety Railings	4ft x 4ft x 2.5ft	38	24.0
DSR-04X04-04	ModuRail Single L-shaped Safety Railings	4ft x 4ft x 3.5ft	46	27.4
DSR-06X04-03	ModuRail Single L-shaped Safety Railings	6ft x 4ft x 2.5ft	42	26.9
DSR-06X04-04	ModuRail Single L-shaped Safety Railings	6ft x 4ft x 3.5ft	50	30.3

ModuRail Single Pole Safety Railings

DSR-06-03

Art. No.	Description	Dimension (L x H)	No. of std items	Approx. total weight (kg)
SR-SP-03	ModuRail Single Pole Safety Railings	3ft	5	3.2
SR-SP-04	ModuRail Single Pole Safety Railings	4ft	7	4.1

ModuRails Double Safety Railings with Wheels

DSR-W-06-03

Art. No.	Description	Dimension (L x H)	No. of std items	Approx. total weight (kg)
DSR-W-04-03	ModuRails Double Safety Railings with Wheels	4ft x 3ft	16	22.4
DSR-W-06-03	ModuRails Double Safety Railings with Wheels	6ft x 3ft	20	25.4
DSR-W-08-03	ModuRails Double Safety Railings with Wheels	8ft x 3ft	29	29.6

Individual Parts

MODURAIL

SR-TJ-Y

SR-TJ-B

SR-CJ-Y

SR-CJ-B

SR-EBP3-Y

SR-EBP1-Y

SR-EBP3-B

SR-EBP1-B

SR-P305-Y

SR-P305-B

SR-P610-2

SR-ST305

SR-ST150

SR-PJ150-C

SR-P305-2-BY

SR-SP-BY

Customize Railing

Garbage Bin

RAB-042-SS

BP660 BP120 BP240

RBIN-120 / RBIN-240

Art. No.	Description	Lengths	Color	Unit
RAB-042-SS	Stainless Steel Litter Bin Ashtray Top	295(D) x 760mm (H)	Silver	unit
BP120	2 Wheel Plastic Bin (120L)	470(L) x 560(W) x 955mm(H)	Green	unit
BP240	2 Wheel Plastic Bin (240L)	570(L) x 730(W) x 1040mm(H)	Green	unit
BP660	2 Wheel Plastic Bin (660L)	1270(L) x 780(W) x 1220mm(H)	Green	unit

RBIN-120 / RBIN-240

RECYCLE-234/SS

VICTORIS75

RBIN-240-SET

Art. No.	Description	Lengths	Color	Unit
RBIN-120	Recycle Bin Step-On 120	550(L) x 550(W) x 890mm(H)	Blue, Green, Grey	unit
RBIN-240	Recycle Bin Step-On 240	610(L) x 600(W) x 1040mm(H)	Blue, Green, Grey	unit
RECYCLE-234/SS	Recycle Bin Stainless Steel Flip Top	345(D) x 785mm(H)	Silver	unit
RBIN-240-SET	3-In-1 Recylce Bin (240L)	570(L) x 730(W) x 1140mm(H)	Set of Brown, Blue & Orange	set
VICTORIA-75	Recycle Bin Polyethylene/Fiberglass	380(W) x 245(D) x 745mm(H)	Blue, Brown & Orange	unit/set

INDEX

NUMBER

3M Chemical Sorbent 8
3M Raised Pavement Makers Road Studs 27

A

Absorbent 8
Adjustable Ball Valve Lockout 19
Adjustable Cable Lockout 18
Adjustable Gate Valve Lockout 18
Anti-Slip & Anti-Fatigue Mat 32
Anti-Slip Floor Tape 32

B

Barrier Tape 27
Brady Sign & Label Printer 37
Butterfly Valve Lockout 19

C

Cable and Chain Lockout 18
Chemical Storage Safety Cabinets 2
Circuit Breaker Lockout 15-16
Cleanroom Sticky Mat 32
Convex Mirrors 34
Cylinder Tank Lockout 17

D

Dome Mirrors 34

E

Electrical Lockout 17
Emergency Eyewash & Shower 9-12
Emergency Stop Lockout 21
Expandable Barrier 30
Expandable Connecting Rod For Traffic Cone 25

F

First Aid Products 13
Floor Marking 31
Floor Mats 32-33
Floor Tape 31

G

Garbage Bin 48
Gas & Air Line Lockout 17

H

Hazard Warning Light 28
Honeywell Eye-Lert Eye & Skin Flush Station 12
Honeywell Fend-All Water Preservative 12
Honeywell Portable Eyewash 12

J

JUSTRITE Overpack Salvage Drums 4
JUSTRITE Plunger Cans 3
JUSTRITE Safety Containment Equipments 3-4

L

Lockout & Tagout Kits 23
Lockout Hasps 14-15
Lockout Station 21
Lockout Tag 22

M

Material Handling Equipments 48
Mercury Spill Kit 8

P

Pipe Makers 35-42
Pneumatic Quick-Disconnect Lockout 17
PVC Lane Divider 24

R

Reflective Delineator Rope 25
Reflective Tape For Truck 29
Road Barrier 30
Road Safety Products 24-34
Rubber Corner Guard 24
Rubber Speed Hump 27
Rubber Wheel Stopper 26

S

Safety Cabinet 1-2
Safety Cans 3
Safety Net 29
Safety Padlock 14
Safety Railing 43-47
Sorbent 6
Spill Control Kit 7
Supply Starter Kits 40-42

T

T-Top Delineator Post 25
Traffic Baton 28
Traffic Cone 24

U

Universal Valve Lockout 20

V

Valve Lockout 17-18

W

Warning Traingle Board 29
Wind Socks 29

Z

Zoll AED Plus 13
Zoll AED Wall Cabinet 13
Zoll Floor Standing AED Cabinet 13

GLOSSARY

ANSI	American National Standards Institute. Coordinates voluntary safety, engineering and institute standards developed by industrial firms, trade associations, consumer organizations and goverment agencies.
CE	The CE Mark is an agreed-upon combination of standards developed for the European Union that all goods sold into the European Economic Community must bear.
CHRA	Chemical Health Risk Assessment. Need to be conducted by registered Chemical Health Risk Assessors.
DB	Decibel. A until that expresses the relative intensity of sounds on a scale from 0 (least perceptible) to 130 (average pain level).
DOSH	Department of Occupational Safety & Health.
Exposure Level	The level or concentration of physical or chemical hazard to which an employee is exposed.
FDA	Food and Drug Administration. Monitors the manufacture, import, transport, storage and sale of food, cosmetics, medicines, medical devices and radiation-emitting devices
HEPA	High Efficiency Particulate Absolute. A filter that removes 99.97% or more of monodisperse dioctyl phtjalate (DOP) particles, having a mean particle diameter of 0.3 micrometer, from the air.
IDLH	Immediately Dangerous to Life and Health. An atmospheric concentration of any toxic, corrosive or asphyxiant that poses an immediate threat to life, would cause extreme effects to health, or would interfere with an individual's ability to escape from a dangerous atmosphere.
JKKP	Jaban Keselamatan dan Kesihatan Pekerjaan (also known as DOSH in English)
LEL	Lower Explosive Limit. It is the lowest concentration of gas in the air that can be detonated by spark, shock or fire.
MSDS	Material Safety Data Sheet. A document with information about the specific identity of hazardous chemicals, including health effects, first aid, chemical and physical properties and emergency phone number.
NFPA	National Fire Protection Association. A voluntary membership organization that promotes improved fire protection and prevention, establishes safeguards against loss of life and property by fire, and writes and publishes fire standards.
NIOSH	National Institute for Occupational Safety and Health. Responsible to conduct research on work-related illness & injuries.There are NIOSH in both USA an Malaysia, however the NIOSH in USA is the one which grant approval for safety equipments.
NRR	Noise Reduction Rating. The approximate measure in decibels (dB) of hearing protector's ability to reduce your exposure to sound. The larger the NRR of product, the greater the protection from hazardous noise.
Odor Threshold	The lowest concentration in an atmosphere that can be detected by the human sense of smell
OSHA	Occupational Safety and Health Administration. An agency with US Department of Labor that is responsible for safety regulations in workplace.
PEL	Permissible Exposure Limit. OSHA's limit of employee exposure to gases and chemicals
ppm	Parts per million, 1 x 1000000. Convenient method of expressing very low concentration of a substance
SNR	An SNR is a single number rating system. SNRs are expressed in dB's and are used as a guide for comparing the potential noise reduction capability of different hearing protection devices.
STEL	Short-Term Exposure Limit. Maximum Concentration for a continuous 15-minute exposure period.
TWA	Time Weighted Average. Levels of exposure averaged over a specific time period, usually eight hours
UL	Underwriters Laboratories, Inc. An independent, non-profit organization that uses tests and report to evalute products for public safety and then designates which products or materials pass their safety standards.

We offer quality products from :

Safetyware · Rhino Shoe · Quick Sign · Sundström · ELVEX · 3M · Honeywell · GMI · Lakeland Industries, Inc · BRADY · WELDAS · HARVIK · Dräger

Disclaimer :

All contents in this cataog which include product information and specifications are subjected to changes without notice. Whilst every effort is made to ensure that the contents are correct, any inaccuracy or omission is regretted. Safetyware Group shall not be liable or responsible for any damages, loss, direct or indirect liability, that arise from interpretation of contents of this catalog or product usage based on its contents. Customers are responsible to determine the suitability and fitness of the products for the specific purposes.

Except SAFETYWARE® ,RHINO SHOE® and Quick Sign™ ,all trademarks or registered trademarks belong to their respective manufactureres. Safetyware Group disclaim any rights or ownership of these trademarks. Safetyware Group import, stocks, promotes and distribute these products in Malaysia and the region.

SAFETYWARE GROUP

UNITED KINGDOM

SAFETYWARE (UK) LIMITED *(8533248)*

Office 4, 219 Kensington High Street, London,
United Kingdom. W8 6BD
TEL : +44 20 3286 3882
FAX : +44 845 852 0882

MALAYSIA

SAFETYWARE SDN BHD *(632971-x)*

Penang Head Office
Plot 237, Lengkok Perindustrian Bukit Minyak 3,
Bukit Minyak Industrial Estate,
14100 Simpang Ampat, Penang,
Malaysia.
TEL : +604 - 5023 882 *(8 lines)*
FAX : +604 - 5081 882

Kuala Lumpur Office
8trium M1-16-08 Menara 1,
Jalan Cempaka SD 12/5,
Bandar Sri Damansara,
52200 Kuala Lumpur, Malaysia.
TEL : +603 - 6262 0882 *(4 lines)*
FAX : +603 - 6270 0393

Johor Office
G37, Jalan Austin Perdana 2/22,
Taman Austin Perdana,
81100 Johor Bahru, Johor,
Malaysia.
TEL : +607 - 3576 882 *(3 lines)*
FAX : +607 - 3577 882

Melaka Office
No, 18-1, Jalan PPM 4,
Plaza Pandan Malim,
75250 Melaka, Malaysia.
TEL : +606 - 3363 882 *(2 lines)*
FAX : +606 - 3375 881

SINGAPORE

SAFETYWARE (SG) PTE LTD *(201208598R)*

53 Ubi Ave 1, #01-41 (2A),
Paya Ubi Industrial Park,
Singapore 408934
TEL : +65 6744 0882
FAX : +65 6842 0882

WWW.SAFETYWARE.COM
INFO@SAFETYWARE.COM